

BOLUS



Acetylsalicylic Acid Bolus
An aid in the symptomatic relief of pain in cattle and horses.
Net 50 boluses
Code: ASA50



After Calf Bolus
Indicated for use in retained placenta shreds, metritis, and postpartum infections of cows.
Code: ACB



First Defense
Stop scours before they start.
Code: FD5 - 5 boluses
FD30 - 30 boluses



Scour Plug Bolus
An aid for the treatment of scours. Also aids in replacement of electrolytes.
Code: SCOURP - 25 boluses



Super Scour Calf Bolus
For use in the oral treatment and prevention of diarrhea (scours) and enteritis of bacterial origin.
Code: SCOUR

DEHORNING



Dehorner II Butane
Cordless refillable butane gas-powered dehorner.
Code: 376-1751



D-Horn Paste Squeeze Bottle
To prevent horn growth and remove horn buttons on calves.
Code: DDHORN



Dehorning Saw Handles
Dehorning wire handles to be used with dehorning wires.
Code: SH



Dehorning Wire
For dehorning adult cattle.
Code: SW

HOOF CARE



Hoof Knife
Used to trim and cut the hooves.
Code: HK - Right Handle
HKL - Left Handle



Hoof-Sol Gel 330ml with Brush
Treats many hoof infections and its other ingredients (i.e., Aloe Vera) ensure the hoof is quickly restored to its optimum condition. The gel is well-known for its strong adhesive ability.
Code: I4001E



Hoof-Sol Intra Tape
Use with Hoof-Sol Gel to increase contact time. Will protect the hoof from external factors following treatment. You must remove the tape after a 3-4 day period to ensure proper healing.
Code: I4010E




Hoof-Sol Liquid
Treats many hoof infections. Suitable for both the individual and collective treatment of cattle with hoof ailments.
Code: I4105E - 5L
I4110E - 10L



Hoof-Sol Matabi Low-Pressure Applicator
A robust, compact, compressed air sprayer with a strong polypropylene tank, a directional filtered lance, ergonomic handle and a transparent hose. Can hold 5 liters. Use applicator for weekly conditioning treatment of the claws.
Code: I4300E



Technovit Klauwblokje 12
Cold-curing resin for the treatment of claws and extracutaneous splinting.
Code: TECH12



**Most Awarded
Claw Product**

Go for Green
go for optimal claw condition



IntraHoof-Sol

Gel • Liquid • Bath

Gel

Liquid

Bath

- Highly effective
- Strong adhesion to the claw
- User friendly
- Aloe Vera enriched



Intra Foot Bath

- Three separate parts with easy assembly
- Less pollution (manure) in bath
- Easy to fill, empty and clean
- More economical to use
- Supports farmers in keeping the claws healthy
- 30% guaranteed savings of foot bath products
- Double walled plastic with 4 handles on each tub



WWW.ALLABOUTHOOVES.COM

INJECTABLES



Alamycin LA

For use in treatment of infection in cattle and swine caused by Oxytetracycline susceptible bacteria.

Code: ALA250 - 250ml
ALA500 - 500ml



Aminolean Solution 500ml

An aid in the treatment of debilitated animals and for treatment of severe diarrhea.

Code: VITA



Calcium Boroglucanate 23%

A source of calcium for cattle, sheep, and swine. To aid in the treatment of hypocalcemia.

Code: CAL



Cal Mag Phos

An aid in the treatment of milk fever and other calcium, glucose, magnesium, and phosphorus deficiencies of cattle, sheep, horses, and swine.


Code: CALMP



Dextrose 50%

An aid in the treatment of glucose deficiencies in cattle, horses, sheep, swine, and in the treatment of ketosis in cattle and pregnancy disease in sheep.

Code: DEX



Dexafer

An aid in the prevention and treatment of iron deficiency in piglets.

Code: DEXA100



Lincomix 100

An aid in the treatment of infectious arthritis in swine and for the treatment of swine dysentery.

Code: LININJ



Oxytetracycline 100LP

An aid in the treatment of diseases of cattle, sheep, and swine caused by microorganisms sensitive to oxytetracycline.

Code: OXY100LP - 250ml
OXY100LP500 - 500ml



Penpro - Penicillin

An aid in the treatment of infections caused by bacteria susceptible to penicillin.

Code: PENPRO - 250ml
PENPRO500 - 500ml



Propen LA - Penicillin

Long acting penicillin.

Code: PENLA



Selenium E 100ml

For the prevention and treatment of white muscle disease in calves and lambs.

Code: SEL



Tylan 200, 250ml

An aid in the treatment of pneumonia and metritis in cattle and erysipelas and swine dysentery in swine.

Code: TYL200



Vitamaster NF 100ml

A vitamin, amino acid, and micromineral injectable solution.

Code: VITANF



Vitamin AD-500 Inj 250ml

An aid in the prevention and correction of deficiencies of vitamins A and D in cattle, swine, and sheep.

Code: VITAD



Vitamin B12 1000 100ml

As an aid in the treatment of vitamin B12 deficiency.

Code: VITB12-1000



Vitamin B12 5000 30ml

As an aid in the treatment of vitamin B12 deficiency.

Code: VITB12

LIQUIDS & PASTES



Anti Gas Emulsion 500ml

An aid in the treatment of tympanism and frothy bloat in cattle, sheep and goats. It is also useful in the treatment of constipation.

Code: ANTI



BluKote Aerosol 5oz

Antiseptic, fast drying. Highly effective against pus-producing bacteria and common fungus infections.

Code: BK



Cel-Max Liquid

Yeast supplement for cattle.

Code: CELMAX



Coppersept 475ml

An antiseptic and astringent in the treatment of thrush, hoof punctures, ringworm and cracked hooves in horses, foot rot and ringworm in cattle and sheep.


Code: COP



Cod Fish Oil 4L

Health benefits for horses.

Code: COD



Electrolytes Concentrate 4L
An aid in the treatment of dehydration and electrolyte imbalance in cattle, swine, and poultry.
 Code: ELEC4



Gentle Iodine
An aid in the treatment and control of bacterial infections of cuts and abrasions.
 Code: IODG - 500ml
 IODR - 4L



Hydro-Vit D3 500ml
A supplementary source of vitamin D for use in drinking water.
 Code: VITD



Ketamalt 4L
For the prevention and treatment of acetonemia in cattle and sheep.
 Code: KETA



Mineral Oil 4L
An aid in the treatment of intestinal constipation.
 Code: MIN



Multi Glo 4L
Iron vitamin liquid supplement for horses.
 Code: 026032



Neorease 500ml
An aid in the treatment of animals with scours complicated by pneumonia.
 Code: NEOR500



PCE Glycol
An aid in the prevention and treatment of acetonemia in cattle and sheep.
 Code: PROP - 4L
 PROP20 - 20L



Quinnoxine-S 4L
An aid in the prevention and treatment of coccidiosis.
 Code: QUIN



Regano CL5
A flavouring agent for drinking water for swine, broilers, layers, turkeys, and calves.
 Code: REG1Q - 1 Quart
 REG1G - 1 Gallon



Replamin Liquid 4L
A nutritional mineral supplement for animals.
 Code: REPLAM



Scour Solution
An aid in the prevention and treatment of scours in pigs, calves, sheep, horses, and dogs.
 Code: SCOU500 - 500ml
 SCOU4 - 4L



Spectam Scour Halt
For the treatment of white scours.
 Code: SPECSH - 240ml
 SPEC500 - 500 ml



Wheat Germ Oil
Liquid vitamin supplement for horses and cattle.
 Code: WHE5 - 500ml
 WHE128 - 4L



Wound and Pink Eye Spray
An aid in the treatment of pink-eye and/or as a wound dressing for minor cuts.
 Code: PINK

NEEDLES

Needles - HDN Aluminum Hub

Disposable and detectable.

Code: ND14X1 - 14G x 1"

ND14X1 1/2 - 14G x 1 1/2"

ND16X1 1/2 - 16G x 1 1/2"

ND16X5/8 - 16G x 5/8"

ND16X1 - 16G x 1"

ND16X1 1/2 - 16G x 1 1/2"

ND18X5/8 - 18G x 5/8"

ND18X3/4 - 18G x 3/4"

ND18X1 - 18G x 1"

ND18X1 1/2 - 18G x 1 1/2"

ND20X1 1/2 - 20G x 1 1/2"

ND20X1 - 20G x 1"

ND20X1 1/2 - 20G x 1 1/2"

Needles - Stainless Steel

12/pkg

Reusable.

Code: NH14X1/2 - 14G x 1/2"

NH14X5/8 - 14G x 5/8"

NH16X1/2 - 16G x 1/2"

NH16X3/4 - 16G x 3/4"

NH16X1 - 16G x 1"

NH16X1 1/2 - 16G x 1 1/2"

NH18X1/2 - 18G x 1/2"

NH18X3/4 - 18G x 3/4"

NH18X1 - 18G x 1"

NH18X1 1/2 - 18G x 1 1/2"

NH20X1/2 - 20G x 1/2"

NH20X3/4 - 20G x 3/4"

NH20X1 - 20G x 1"

NH20X1 1/2 - 20G x 1 1/2"

OB SUPPLIES

Calf Puller Ideal Ratch-A-Pull

Used for assisting during calving.

Code: 012-110

Chain Handle

Used for assisting during a difficult birth.

Code: 034-034

Farrowing Snare

Use for lambing aid. Stainless steel. Lightweight and easy to use.

Code: FARSNAR



Lubricating Gel OB 1L

Used for examination purposes.

Code: GEL



OB Chain 60in

Used for assisting during a difficult birth.

Code: 034-033

OINTMENTS

Bag Balm

Strikes into the milk glands allaying irritation, relieving congestion and softening the tissues.

Code: BAGB - 10oz/284g

BAGB2 - 2kg



Skin Joy Udder Ointment

Greek oregano oil and tea tree oil for healthy skin. A blend of natural oils and botanical extracts.

Code: SJ4 - 4oz

SJ32 - 32oz



Teat Dilators - Dr. Naylor

Keeps teat open in the treatment of cut, sore, bruised, and scabbed teats.

Code: TEAT



Udder Balm Oint Dr. Naylor

An aid in the treatment of chapped teats, minor wounds, chafes, windburn, and sunburn. Massage to promote better circulation in udder.

Code: UB



Udder Comfort

A blend of essential oils to soften and soothe.

Code: 855455000019 - 300ml

855455000101 - 500ml
sprayable



SCALPELS



Scalpel Blades Disposable

Sterile surgical blades.

Code: SCAL - #12
 SCAL-D2 - #21
 SCAL-D22 - #22



Scalpel Handles

Suitable for scalpel blades, can be sterilized.

Code: SCALP - #3
 SCAL-4 - #4



Scalpel Disposable #10

Sterile, stainless steel blades with safety guard.

Code: SCAL-D

SOLUBLE POWDER



Calf Lyte II

Water soluble electrolytes for calves.

Code: CL2



Citric Acid

To increase solubility of certain water soluble powders.

Code: CA5 - 500g
 CA25 - 25kg



Electrolytes A/F

Water soluble electrolytes for chickens, turkeys, swine, calves, cattle, sheep, and horses.

Code: ELE10 - 10kg



Electrolytes Plus

Vitamin and electrolyte soluble powder for chickens, turkeys, swine, cattle, sheep, and horses.

Code: ELEP400 - 400g
 ELEP10 - 10kg



Lincomix Soluble Powder 80g

For the treatment of enteritis in chickens and dysentery in swine.

Code: LINCO



L-S 100

Antibacterial and antimycoplasmal in poultry, also for the treatment of swine dysentery.

Code: LS100



Neomycin 325

An aid in the treatment of blue comb or enteritis and other neomycin-sensitive infections in poultry, also for the treatment of scours in swine, cattle, sheep, and horses.

Code: NEO325 - 100g
 NEO1 - 1 kg
 NEO10 - 10kg



Neo-Chlor

An aid in the treatment of infectious diseases caused by microorganisms sensitive to tetracycline and neomycin.

Code: NEOC400 - 400g
 NEOC10 - 10kg



Potpen

An aid in the treatment of infections caused by penicillin susceptible organisms.

Code: POTPEN - 305g
 POTPEN10 - 9.375kg



Regano C500

A flavouring agent for drinking water for swine, broilers, layers, turkeys, and calves.

Code: REG25 - 25lb



Super Booster

A water soluble vitamin premix medicated with penicillin G potassium, and streptomycin sulfate.


Code: POLY400 - 400g
 POLY10 - 10kg



Tetracycline 250


An aid in the treatment of infections caused by micro-organisms sensitive to tetracycline HCl.

Code: TET250 - 400g
 TET10 - 10kg



application chart for soluble powders

	SIZE	VNA CODES	SUMMARY	ACTIVE INGREDIENTS
3-Sulvit	450 g pouch 10 kg pail	04075 04077	As an aid in the prevention and treatment of bacterial infections.	sulfas, vitamins, electrolytes
Aqua-Lytes	300 g pouch 10 kg pail	05440 05441	As an aid in the prevention of vitamin deficiencies, and the correction of dehydration and electrolyte losses during periods of stress.	vitamins A, D ₃ , E, B ₆ , B ₁₂ , etc., electrolytes
C-Pak	500 g pouch 10 kg pail	05008 05009	Vitamin C supplement for poultry.	ascorbic acid
Electrolytes Plus	400 g pouch 10 kg pail	05438 05436	As an aid in stimulating appetite in periods of stress, the prevention of vitamin deficiencies, and the correction of dehydration and electrolyte imbalances.	vitamins A, D ₃ , E, B ₁₂ , etc., electrolytes
Gallimycin	100 g pouch	09313	Treatment and control of chronic respiratory disease, and other infections sensitive to erythromycin.	erythromycin
Gallimycin PFC	100 g pouch	09312	Treatment and control of chronic respiratory disease, and other infections sensitive to erythromycin.	erythromycin
Medivit	100 g pouch 10 kg pail	04452 04451	As an aid to stimulate feed intake, maintain growth during stress periods, treatment and control of infectious diseases caused by micro-organisms sensitive to penicillin G potassium and streptomycin sulfate.	penicillin G potassium, streptomycin sulfate, vitamins
Neo-Chlor®	100 g pouch 400 g pouch 10 kg pail	04460 04463 04462	As an aid in the treatment of infectious diseases caused by micro-organisms sensitive to neomycin and tetracycline.	neomycin sulfate, tetracycline HCl
Neomycin 325	100 g pouch 1 kg pot 10 kg pail	04467 04468 04469	As an aid in the treatment of infectious diseases caused by micro-organisms sensitive to neomycin.	neomycin sulfate
Neox	100 g pouch 400 g pouch	04465 04466	As an aid in the treatment of infectious diseases caused by micro-organisms sensitive to neomycin and oxytetracycline.	neomycin sulfate, oxytetracycline HCl
Oxysol 62.5	400 g pouch 10 kg pail	04520 04522	As an aid in the treatment of infectious diseases caused by micro-organisms sensitive to oxytetracycline.	oxytetracycline HCl
Oxysol 250	100 g pouch	04521	As an aid in the treatment of infectious diseases caused by micro-organisms sensitive to oxytetracycline.	oxytetracycline HCl
Poly-Tonine A Super® Booster N°1	100 g pouch 400 g pouch 5 kg pail 10 kg pail	04488 04490 04197 04199	As an aid to stimulate feed intake, maintain weight gains, and for the treatment and control of infectious diseases caused by micro-organisms sensitive to penicillin G potassium and streptomycin sulfate.	penicillin G potassium, streptomycin sulfate, vitamins
Poly-Tonine A® Complex	100 g pouch 10 kg pail	05552 05553	As an aid in the prevention of vitamin deficiencies.	vitamins A, D ₃ , E, B ₁₂ , K ₁ , biotin, etc.
Pot-Pen	100 mil.I.U. pouch 500 mil.I.U. jar	07501 07500	For the treatment of infections caused by penicillin susceptible micro-organisms such as <i>streptococcus suis</i> and <i>brucella abortus</i> .	penicillin G potassium
Spectam	1000 g jar	09310	As an aid in the prevention or control of losses due to CRD and synovitis associated with mycoplasma infections.	spectinomycin
Stress-Aid	100 g pouch 10 kg pail	05510 05511	As an aid in the treatment of vitamin deficiencies, and the correction of dehydration and electrolyte imbalances.	vitamins A, D ₃ , E, B ₁₂ , thiamine, riboflavin, etc., electrolytes
Sulfa-MT	400 g pouch 10 kg pail	04572 04574	As an aid in the treatment of bacterial infections caused by bacteria sensitive to sulfamethazine and sulfathiazole.	sulfamethazine, sulfathiazole
Tetracycline 250	100 g pouch 400 g pouch 10 kg pail	04515 04519 04516	As an aid in the treatment of infections caused by or associated with micro-organisms sensitive to tetracycline HCl.	tetracycline HCl
Tetracycline 1000	500 g jar 2.5 kg pail	07574 07580	As an aid in the treatment of infections caused by or associated with micro-organisms sensitive to tetracycline HCl.	tetracycline HCl
Vitamin H	100 g pouch	05057	As an aid in the prevention of biotin deficiency syndrome, promoting normal growth, feed efficiencies and normal tissue development.	d-biotin
Vitamin K₃	100 g pouch	05525	Recommended to prevent prolonged bleeding caused by wounds and hemorrhagic syndrome.	menadione sodium bisulfite



SCOPE				SPECIES + MEAT WITHDRAWAL DAY(S)										THERAPEUTIC SUMMARY														-STOCK SOLUTION- (S.S.) BASED ON 30 mL								
ANTIBACTERIAL	ELECTROLYTES	MULTIVITAMIN	SINGLE VITAMIN	SWINE		POULTRY			CATTLE					APPETITE STIMULANT	BLUE COMB	C.B.D.	DEHYDRATION	ELECTROLYTE IMBALANCES	ENTERITIS	EPITHELIASIS	INFECTIOUS SCURF	MALNUTRITION	PNEUMONIA	RESPIRATORY DISEASE	SALMONELLA	SHIPPING FEVER	STRESS	STREPTOCOCCUS PHS	SYNOVITIS	VITAMIN DEFICIENCIES	WEIGHT GAIN	SWINE	POULTRY			
				BROILERS	LAYERS	TURKEYS	CALVES	BEEF	DAIRY	BROILERS	CHICKENS																									
■	■	■		10													■	■	■														S.S. (450 g/20.2 L) Water volume 2700 L			
	■	■		■	■	■	■	■	■								■	■				■						■						S.S. (300 g/2.8 L) Water volume 360 L	S.S. (300 g/2.8 L) Water volume 360 L	S.S. (300 g/2.8 L) Water volume 360 L
			■	■	■	■																												S.S. (500 g/4 L) Water volume 500 L	S.S. (500 g/4 L) Water volume 500 L	
	■	■		■	■	■	■	■	■	■			■				■	■				■					■							S.S. (400 g/5.6 L) Water volume 750 L	S.S. (400 g/5.6 L) Water volume 750 L	S.S. (400 g/5.6 L) Water volume 750 L
■				■		■							■	■							■								■					S.S. (500 g/3.8 L) Water volume 500 L		
■				■		■							■	■							■								■					S.S. (250 g/3.8 L) Water volume 500 L		
■	■			■	■	■	■	■					■	■							■						■							S.S. (100 g/1.8 L) Water volume 225 L		S.S. (100 g/1.8 L) Water volume 225 L
■				■	■	■	■	■					■	■							■							■						S.S. (400 g/6.75 L) Water volume 900 L		S.S. (400 g/6.75 L) Water volume 900 L
■				■	■	■	■	■					■	■							■													1 g per 50 kg Body weight	S.S. (200 g/8.5 L) Water volume 1125 L	
■				■	■	■	■	■					■	■							■								■					S.S. (400 g/6.75 L) Water volume 900 L		S.S. (400 g/6.75 L) Water volume 900 L
■				■	■	■	■	■					■	■							■													S.S. (400 g/1.5 L) Water volume 200 L		S.S. (400 g/3.75 L) Water volume 500 L
■				■	■	■	■	■					■	■							■													S.S. (200 g/3 L) Water volume 400 L		S.S. (100 g/3.8 L) Water volume 500 L
■	■			■	■	■	■	■	■				■	■							■						■							S.S. (400 g/2.6 L) Water volume 330 L		S.S. (100 g/1.4 L) Water volume 180 L
■		■		■	■	■	■	■																										S.S. (100 g/1.7 L) Water volume 225 L	S.S. (100 g/1.7 L) Water volume 225 L	S.S. (100 g/1.7 L) Water volume 225 L
■				■		■														■							■							S.S. (1 jar 500mL) / (2.6 L) Water volume 1682 L		
■				■									■																■					S.S. (1000 g/8 L) Water volume 1000 L		
■	■	■		■	■	■	■	■	■				■	■							■					■								S.S. (100 g/2.7 L) Water volume 364 L	S.S. (100 g/2.7 L) Water volume 364 L	S.S. (100 g/2.7 L) Water volume 364 L
■				■																■														S.S. (400 g/2.8 L) Water volume 260 L		
■	■			■	■	■	■	■	■				■	■							■													S.S. (400 g/6 L) Water volume 800 L		S.S. (100 g/3.8 L) Water volume 500 L
■				■	■	■	■	■	■				■	■							■													S.S. (50 g/3 L) Water volume 400 L		S.S. (25 g/4 L) Water volume 500 L
■			■	■	■	■	■	■																										S.S. (100 g/1.7 L) Water volume 225 L		S.S. (100 g/1.7 L) Water volume 225 L
■			■	■	■	■	■	■																												S.S. (100 g/4 L) Water volume 640 L